Subject:

Nowakowski, Sonja Regulatory Fact Sheet MT

it would be helpful. The following is a summary off of PHMSA's website about which entity regulates which pipelines in MT.Thought

# Regulatory Fact Sheet: Montana

Pertinent regulations can be found here. Regulations (CFR), Title 49 "Transportation", Parts 190 - 199. The Office of Pipeline Safety (OPS), within the U. S. regulatory responsibility for hazardous liquid and gas pipelines under its jurisdiction in the United States Department of Transportation, Pipeline and Hazardous Materials Safety Administration (PHMSA), has overal The federal government establishes minimum pipeline safety standards under the U.S. Code of Federal

regional offices. OPS is headquartered in Washington, DC, and supported through five regional offices located in Trenton, NJ; Liaisons, and Community Assistance and Technical Services (CATS) managers operate from each of the five OPS Atlanta, GA; Kansas City, MO; Houston, TX; and Denver, CO. OPS Regional Directors, Pipeline Inspectors, State

pipeline safety-related issues. CATS managers are available to assist the public, the media and state or local officials with inquiries concerning

OPS inspects, regulates and enforces interstate gas pipeline safety requirements in Montana. OPS also inspects, regulates and enforces both intrastate and interstate liquid pipeline safety requirements in Montana

safety requirements. The Gas Pipeline Safety Division of the Montana Public Utilities Commission performs this Through certification by OPS, the state of Montana regulates, inspects, and enforces intrastate gas pipeline

Montana state regulations can be found at: http://www.psc.state.mt.us/Pipeline/

A summary of Montana Public Service Commission enforcement actions is available here

Here is contact information pertaining to pipelines in Montana:

#### **Montana Public Service Commission**

Department of Public Service Regulation

1701 Prospect Avenue

P O Box 202601

Helena, MT 59620-2601

Pipeline Safety Program Manager: G. Joel Tierney

Office: 406-444-6181; Fax: 406-444-7618

E-mail: jtierney@mt.gov

Office of Pipeline Safety - Western Region Office

12300 West Dakota Avenue, Suite 110

Energy & Telecommunications Committee Mtg. September 16, 2011

Lakewood, CO 80226

Telephone: 720-963-3160

Director: Chris Hoidal

CATS managers: Tom Finch / Bill Flanders Direct: 720-963-3175 / 907-271-6518

E-mail: thomas.finch@dot.gov / bill.flanders@dot.gov

## Pipeline and Hazardous Materials Safety Administration

1200 New Jersey Avenue SE

East Building, Second Floor (PH) Washington D.C. 20590-0001

Administrator: Cynthia L. Quarterman Assistant Administrator / Chief Safety Officer: Cynthia Douglass Media Contact - Director, External Communications: Patricia Klinger

Associate Administrator for Pipeline Safety: Jeff Wiese

Phone: 202-366-4595

Date of Revision: 11110\_ljc

#### Pipeline Mileage Overview

Pipeline System

Total pipeline mileage	Gas distribution mileage ( 289,305 total services (B))	Gas Gathering line mileage	Gas transmission line mileage	Hazardous liquid line mileage	
13,382	6,683	,	5,650	2,843	Mileage

Property

## Montana All Pipeline Systems: 2001-2010

02/04/2001 06/01/2002 09/20/2002 06/10/2003 09/22/2004 09/15/2005 04/08/2007 10/09/2007 10/09/2007 05/18/2008 08/08/2008 11/10/2008 03/05/2009 11/26/2009	
HELENA BUTTE GLENDIVE ALZADA WALKERSVILLE LIVINGSTON BUTTE BILLINGS BRIDGER SAVAGE BOZEMAN BILLINGS BILLINGS	
HELENA BUTTE LENDIVE ALZADA NORTHWESTERN ENERGY LC ENCAVATION DAMAGE ENDIVE ALZADA NORTHWESTERN ENERGY NORTHWESTERN ENERGY BUTTE NORTHWESTERN ENERGY BUTTE SAVAGE SAVAGE SILLINGS SILLI	)
TERN ENERGY LLC CENEX PIPELINE CCHE PIPELINE CCHE PIPELINE CCHE PIPELINE COMESTERN ENERGY WESTERN ENERGY WESTERN ENERGY PIPELINE CO. CELINES (USA) INC GER PIPELINE CO TERN ENERGY TERN ENERGY MAT'L/WELD/EQUIP FAILURE CONOCOPHILLIPS MAT'L/WELD/EQUIP FAILURE CONOCOPHILLIPS MAT'L/WELD/EQUIP FAILURE CONOCOPHILLIPS MAT'L/WELD/EQUIP FAILURE CONOCOPHILLIPS MAT'L/WELD/EQUIP FAILURE	Cause
EXCAVATION DAMAGE ALL OTHER CAUSES EXCAVATION DAMAGE ALL OTHER CAUSES EXCAVATION DAMAGE ALL OTHER CAUSES EXCAVATION DAMAGE EXCAVATION DAMAGE ALL OTHER CAUSES EXCAVATION DAMAGE ALL OTHER CAUSES EXCAVATION DAMAGE EXTERNAL CORROSION NON-THREADED CONNECTION FAILURE MISCELLANEOUS CAUSE EARTH MOVEMENT JOINT/FITTING/COMPONENT BODY OF PIPE	Sub-Cause
001000000000	<b>Fatalities</b>
0 0 0 0 0 0	Injuries
\$185,851 \$12,174 \$0 \$7,786 \$141,887 \$585,069 \$129,751 \$18,511 \$436,034 \$19,988 \$36,496 \$2,549,871 \$42,552 \$2,912,261	Damage (B) (C)

## Montana All Pipeline Systems: 2001-2010

05/06/2010 11/23/2010 Totals	Date
05/06/2010 COLUMBIA FALLS 11/23/2010 Totals	City
NORTHWESTERN ENERGY LLC EXCAVATION DAMAGE KINDER MORGAN PIPELINES (USA) INC MAT'L/WELD/EQUIP FAILURE	Operator
EXCAVATION DAMAGE AT'L/WELD/EQUIP FAILURE	Cause
THIRD PARTY EXCAVATION DAMAGE OTHER EQUIPMENT FAILURE	Sub-Cause
2 O ii.	Fatalities Injuries
0 0	Injuries
\$207,600 \$187,500	Property Damage
	ω <sup>th</sup> U

	Transmission
	n Mileage
)	by Count
	<

Kayani	D 3 5 3   1	Prairie	Powell	Powder River	Pondera	Phillips	Park	Musselshell	Missoula	McCone	Madison	Liberty	Lewis and Clark	Judith Basin	Jefferson	<b>=</b>	Granite	Golden Valley	Glacier	Gallatin	Flathead	Fergus	Fallon	Deer Lodge	Dawson	Custer	Chouteau	Cascade	Carter	Carbon	Broadwater	Blaine	Big Horn	Beaverhead	County
																																			Gas Miles
ţ	25	45	81	22	68	42	31	0	149	23	38	28	260	0	74	71	58	12	219	68	84	39	139	24	124	67	120	71	129	232	<b>,</b>	194	124	22	Liquid Miles
¢	D	30	37	۳	129	0	31	31	32	0	0	0	53	205	თ	47	27	85	271	43	0	57	87	0	98	43	87	171	79	133	44	0	78	0	iles
																																			%
	O 5%	1.1%	1.7%	0.3%	2.9%	0.6%	0.9%	0.4%	2.7%	0.3%	0.5%	0.4%	4.6%	3.0%	1.1%	1.7%	1.2%	1.4%	7.3%	1.6%	1.2%	1.4%	3.3%	0.3%	3.3%	1.6%	3.0%	3.6%	3.1%	5.4%	0.6%	2.9%	3.0%	0.3%	

## Montana All Pipeline Systems: 2001-2010

ω <del>ω</del> ω

Date	City	Operator	0	Cause	Sub-Cause	Fatalities	Injuries
	Richland		66	98		2.4%	
	Roosevelt		121	37		2.3%	
	Rosebud		79	42		1.8%	
	Sanders		0	22		0.3%	
	Sheridan		0	32		0.4%	
	Silver Bow		35	0		0.5%	
	Stillwater		101	111		3.1%	
	Sweet Grass		72	35		1.6%	
	Teton		52	57		1.6%	
	Toole		182	45		3.3%	
	Treasure		7	31		0.5%	
	Valley		198	0		2.9%	
	Wheatland		46	97		2.1%	
	Wibaux		63	61		1.8%	
	Yellowstone		132	267		5.9%	

#### **Stakeholder Communications**

PHMSA Pipeline Safety Program

#### Serious Pipeline Incidents By Cause

This report is a sub-report of the PHMSA Serious Pipeline Incidents report. As such, it represents only Serious Incidents <sup>(A)</sup> over the time period and pipeline system specified.

The data source for this table is the PHMSA Filtered Incident Files. (1) (2) (3)

Where appropriate, the table columns can be sorted by clicking the corresponding column header.


More Pipeline Incidents and Mileage Reports are available.

All Pipeline Systems Hazardous Liquid Gas Transmission Gas Gathering Gas Distribution

National All Pipeline Systems: Serious Incident Details: 1991-2010

Number (C)	%	Fatal	ities Inj	uries	perty Damage (D) (E)	% of Property Damage
					142 145 043	2.1%
49	4.5	%	11			7.2%
7	0.6	%				0.0%
4	0.3	%	1	11		9.4%
60	5.6	%	25	89	\$57,920,746	9,470
						2.02/
36	3.3	%	1	56		0.8%
	30.4	1%	148	492		19.9%
	0.2	2%	4	5	\$1,398,776	0.2%
			153	553	\$129,633,994	21.0%
	AN AND PROPERTY.	ary-				
	Λ.	1%	1	1	\$32,415	0.0%
-				1	\$80,160	0.0%
•				13	\$37,857	0.0%
•					\$23,327,734	3.7%
					\$23,478,166	3.8%
133	12.	4%	13	100		
			0	2	\$608.914	0.1%
) 1						0.1%
E 5	_					0.5%
•	_					0.6%
ч 1						0.0%
G 1						0.2%
ıτ <b>6</b>						0.00/
E 1	1 0	.0%				~ ~~
IT 3	3 0	1.2%			, ,	
ŧΕ '	4 (	).3%	0			
<b>₹</b> E	3 (	).2%	0			
RE	1 (	0.0%	0			
RE 3	7	3.4%	3	55	\$8,803,383	-
	4	6.0%	10	96	\$22,264,781	1 3.6%
						2.40
NT 3	31	2.9%	8	55		0.00
	1	0.0%	0	1	•	
NG	1	0.0%	4	1		•
	22	2.0%	5	32		,
	1	0.0%	1	0	•	
	2	0.1%	0	2	\$5,242,37	
		5.4%	18	91	\$20,590,22	3.3
,,,,,						
ICE	1	0.0%	0	2		
JSE			15	48	\$6,706,58	38 1.0
20			0	3	\$86,1	
TIII			0	1	\$903,8	
AGE			3	8	\$1,760,8	
					\$1,744,3	09 0.3
					\$11,878,7	79 1.9
่งเขา	U J	0,170	-			
		DE 40/	0.5	384	\$118,294,3	19.
AUSE					\$350,348,2	
	319	29.9%	126	5 494	\$22012-4014	
, 0		100.0%	378	3 1,583	\$616,114,9	976 100
	49 7 4 60 36 325 3 364 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	49 4.56 7 0.66 4 0.3 60 5.6 36 3.3 325 30.4 3 0.2 364 2 0.1 1 0.4 1 1 0.4 1 1 133 12. 0 1 0.6 1 1 0.6	49 4.5% 7 0.6% 4 0.3% 60 5.6%  36 3.3% 325 30.4% 3 0.2% 364  2 0.1% 1 0.0% 6 0.5% 1 11.6% 1 10.0% 6 0.5% 1 124 11.6% 1 10.0% 6 0.5% 1 10.0% 6 1 0.0% 6 2 0.1% 6 0.5 % 6 1 0.0%	49 4.5% 11 7 0.6% 13 4 0.3% 1 60 5.6% 25  36 3.3% 1 325 30.4% 148 3 0.2% 4 364 153  2 0.1% 1 1 0.0% 0 1 0.0% 0 1 124 11.6% 17 1 133 12.4% 19  0 1 0.0% 0 1 0.0% 1 1 0.0% 1 1 0	49 4.5% 11 71 71 7 0.6% 13 7 4 0.3% 1 11 60 5.6% 25 89 36 3.3% 1 56 325 30.4% 148 492 3 0.2% 4 5 364 31 11 0 0.0% 0 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 2 6 1 0.0% 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 2 7 M 1 0.0% 0 2 G 1 0.0% 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 1 0.0% 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	49 4.5% 11 71 \$13,145,943 7 0.6% 13 7 \$44,541,952 4 0.3% 1 11 \$232,850 60 5.6% 25 89 \$57,920,746  36 3.3% 1 56 \$5,122,186 325 30.4% 148 492 \$123,113,031 3 0.2% 4 5 \$1,398,776 364 \$153 553 \$129,633,994  2 0.1% 1 1 \$32,415 1 1 0.0% 0 1 \$80,160 1 6 0.5% 1 13 \$37,857 1 124 11.6% 17 170 \$23,327,734 1 133 12.4% 19 185 \$23,478,166  D 1 0.0% 0 3 \$608,914 1 10.0% 0 1 \$1,164,039 M 1 0.0% 2 7 \$3,651,700 M 1 0.0% 0 2 \$4,126,708 M 1 0.0% 1 1 \$1,27,487 M 1 0.0% 0 1 \$138,500 M 1 0.0% 0 1 \$138,5

Serious Incident Cause Breakdown



Source Data

Sε

Export Table

INCORRECT OPERATION

🍘 OTHER OUTSIDE FORCE DAMAGE 🌘 CORROSION

EXCAVATION DAMAGE

MAT'L/WELD/EQUIP FAILURE